



Postal Registration No. N.E.-771/2006-2008

# THE GAZETTE OF MEGHALAYA

PUBLISHED BY AUTHORITY

No. 42 Shillong, Thursday, October 15, 2009, 23rd Asvina, 1931 (S.E.)

*Separate paging is given on this part in order that it may be filed as a separate compilation.*

## PART - IX

Advertisements and Notices by Government Offices and Public Service

### NOTICES

#### STANDARD FORM OF APPLICATION

Photo

Dated, \_\_\_\_\_

To

The \_\_\_\_\_

Sir,

I beg to apply for the post of \_\_\_\_\_ and furnish the facts/as below in case of any false statement I am liable to any action Government may deem fit and proper. A Treasury Challan of Rs. \_\_\_\_\_ vide T. V. No. \_\_\_\_\_ is attached herewith.

Signature of Applicant

1. Full name in capital letters with address; if any; Surname first  
(Please do not use any initials)

\_\_\_\_\_  
Surname

2. Date of Birth :

\_\_\_\_\_  
Year

\_\_\_\_\_  
Month

\_\_\_\_\_  
Date

3. Place of Birth :

\_\_\_\_\_  
Village/Town

\_\_\_\_\_  
Police Station

\_\_\_\_\_  
District

\_\_\_\_\_  
State

4. Father's/Mother's and Husband's (in case of married female)  
(Please do not use initials).

## 5. Personal description :

A. Height

\_\_\_\_\_ M \_\_\_\_\_ Cm.

B. Colour of Eyes

C. Colour of Hair :

D. Visible distinguishing marks (if any)

## 6. A. Permanent Address in full.

B. Present Address in full.

C. If you have not resided at the above address continuously for the last four years. Please give the other address where you have resided during the period.

From :

To :

Address :

## 7. References :—

Name and address of two responsible persons in your localities who would be prepared to vouch for you.

A.

B.

## 8. Are you citizen of India? If so, how? (Copy of Citizenship Certificates should be enclose where necessary).

## 9. Educational and other qualifications (Please attach copies of Certificates, Mark Sheets etc.)

Sl. No.	Name of Institution and Address	Date of entering	Date of leaving	Examination passed	Division	Subject taken
1.	2	3	4	5	6	7

1.

2.

3.

4.

5.

6.

## 10. Community :

(a) State your religion :

(b) Are you a member of Scheduled Caste/Scheduled Tribe? Answer "Yes" or "No". If "Yes" give particulars supported by a Certificate (Copy to be enclosed).

## 11. Present occupation, if any :

## 12. Previous appointment held, if any :

## 13. Are you a temporary/retrenched personnel of temporary Department of the Government of Meghalaya, Answer "Yes" or "No" (If "yes" give particulars).

## 14. Are you trained in or a member of the National Cadet Corps or Territorial Army? If so, give particulars.

## 15. Are you married or unmarried?

Signature.

**Note :** Particulars are to be filled in below the column in the space provided.

Shillong, the 24th September, 2009.

**No.DUA(U)Tech/25/2007/78.**— Application in prescribed Form affixed with a (Non-refundable Court Fee Stamps of Rs.50/- (Rupees fifty) only are hereby invited for New Registrations in respect of Class-I and Class-II Contractors under the office of the Director, Urban Affairs, Shillong for the year, 2009-2010. Application Form may be obtained from the office of the undersigned, office of the Executive Engineer, Urban Affairs, Tura, Jowai and Office of Assistant Engineer, Urban Affairs Unit at Nongpoh, Nongstoin, Williamnagar and Baghmara on any working day between 10:00 A.M. to 4:P.M. on payment of Rs.10.00 (Rupees ten) only, Application Form will be received by the undersigned upto 4 P.M. on 23rd of October, 2009.

Details may be obtained from office of the undersigned

**Director.**  
Urban Affairs  
Meghalaya, Shillong.

Shillong, the 23rd September, 2009.

**No.MCL.2/89/Vol-V/401 .**— In exercise of the powers conferred on me under Section 68 of the Meghalaya Co-operative Societies Act (Assam Act-I of 1950 as adapted by Meghalaya), the Liquidation Proceedings of the dissolved Mairang Transport Cooperative Society Ltd., is hereby closed.

**F. R. KHARKONGOR,**  
Registrar of Co-operative Societies,  
Meghalaya, Shillong.

Nongpoh, the 24th September, 2009.

**No.EE/PHE/NGP/TB-229(A)/2009-10/557-A.**— Sealed tender notice duly affixed with Non-refundable Court Fee Stamp of against each Items of works eventually to be drawn in P.W.D. F-2 Form are hereby invited from the Registered Contractors Class-I of P.H.E. Department of Meghalaya and Class-II of Superintending Engineer (PHE) Ri-Bhoi Circle, Nongpoh and Class-III of Executive Engineer (PHE), R.W.S. Division, Nongpoh for the following, works;

Date of selling of Tender paper - upto 23rd October, 2009 upto 5:00 P.M.

Date of Closing and opening of Tender paper - upto 26th October, 2009 upto 2:00 P.M.

Detailed tender notice and specification etc. can be had from the office of the undersigned, during office hours on all working days.

**DETAILS OF WORKS**

<b>Sl. No.</b>	<b>NAME OF SCHEME</b>	<b>TENDER VALUE (Rs.)</b>	<b>TIME ALLOTTED FOR COMPLETION OF WORK</b>
1.	Providing Fencing around Zonal Reservoir Pt-D of Umsaw Nongkharai W.S.S.	33,600.00	
2.	Providing Fencing around Zonal Reservoir Pt-E of Umsaw Nongkharai W.S.S.	33,600.00	
3.	Providing Fencing around Treatment Plant of Diphu W.S.S.	80,300.00	45 (forty five) days
4.	Providing Fencing around Clear Water Reservoir of Mawlong W.S.S.	78,900.00	45 (forty five) days
5.	Providing Fencing around Slow Sand Filter of Umnowe W.S.S.	1,34,500.00	45 (forty five) days
6.	Providing Fencing around Slow Sand Filter of Nongspung -A W.S.S.	1,28,200.00	45 (forty five) days
7.	Providing Fencing around Treatment Plant of Umlum W.S.S.	80,300.00	45 (forty five) days
8.	Providing Fencing around Treatment Plant of Pahampdem (Nartap) W.S.S.	78,450.00	45 (forty five) days
9.	Providing Fencing around Treatment Plant of Nongkyndang Comb. W.S.S.	92,700.00	45 (forty five) days
10.	Providing Fencing around Treatment Plant of Lumlynte W.S.S.	1,41,900.00	45 (forty five) days
11.	Providing Fencing around Slow Sand Filter of Mawsmi G.S. Road W.S.S.	1,25,600.00	45 (forty five) days
12.	Providing Fencing around Clear Water Reservoir of Umshaken Thymmai W.S.S.	72,600.00	45 (forty five) days
13.	Providing Fencing around Treatment Plant of Paham Kristan W.S.S.	78,900.00	45 (forty five) days
14.	Providing Fencing around Treatment Plant of Lumdkhar W.S.S.	87,150.00	45 (forty five) days
15.	Providing Fencing around Treatment Plant of Quinine W.S.S.	92,600.00	45 (forty five) days
16.	Providing Fencing around Clear Water Reservoir of Jermanai Pdeng & Jermanai deng W.S.S.	55,900.00	45 (forty five) days
17.	Providing Fencing around Clear Water Reservoir of Umsohma W.S.S.	33,300.00	45 (forty five) days
18.	Providing Fencing around Treatment Plant of Khulia W.S.S.	1,12,200.00	45 (forty five) days
19.	Providing Fencing around Treatment Plant of Rongkseh Comb. W.S.S.	87,150.00	45 (forty five) days
20.	Providing Fencing around Treatment Plant of Langpadon W.S.S.	92,700.00	45 (forty five) days
21.	Providing Fencing around Treatment Plant of Langphador Comb. W.S.S.	63,000.00	45 (forty five) days
22.	Providing Fencing around Treatment Plant of Pahamdiengmong & Pahamdiengsoh Comb. W.S.S.	1,17,600.00	45 (forty five) days
23.	Providing Fencing around Zonal Reservoir No.I of Pahamdiengmong & Pahamdiengsoh W.S.S.	65,300.00	45 (forty five) days
24.	Providing Fencing around Zonal Reservoir No.II of Pahamdiengmong & Pahamdiengsoh W.S.S.	65,300.00	45 (forty five) days
25.	Providing Fencing around Treatment Plant of Lumpyngngad W.S.S.	86,400.00	45 (forty five) days
26.	Providing Fencing around Treatment Plant of Makoibari W.S.S.	80,350.00	45 (forty five) days
27.	Providing Fencing around Treatment Plant of Erphukon W.S.S.	81,850.00	45 (forty five) days

SL. NO.	NAME OF SCHEME	TENDER VALUE (Rs.)	TIME ALLOTTED FOR COMPLETION OF WORK
28.	Providing Fencing around Treatment Plant of Lumlyer Comb. W.S.S.	1,15,100.00	45 (forty five) days
29.	Providing Fencing around Treatment Plant of Nartap W.S.S.	90,600.00	45 (forty five) days
30.	Providing Fencing around Treatment Plant of Sohlaith Thymmai W.S.S.	74,400.00	45 (forty five) days
31.	Providing Fencing around Treatment Plant of Soil Conservation W.S.S.	79,850.00	45 (forty five) days
32.	Providing Fencing around Treatment Plant of Umdapnngi W.S.S.	99,800.00	45 (forty five) days
33.	Providing Fencing around Treatment Plant of Lumdiengblei Comb. W.S.S.	1,15,100.00	45 (forty five) days
34.	Providing Fencing around Treatment Plant of Pahamshiken W.S.S.	81,350.00	45 (forty five) days
35.	Providing Fencing around Treatment Plant of Iewsier W.S.S.	33,300.00	45 (forty five) days
36.	Providing Fencing around Treatment Plant of Nongthymmai Comb W.S.S.	92,400.00	45 (forty five) days
37.	Providing Fencing around Treatment Plant of Lumkya W.S.S.	88,400.00	45 (forty five) days
38.	Providing Fencing around Treatment Plant of Lumpusain Comb. W.S.S.	87,150.00	45 (forty five) days
39.	Providing Fencing around Treatment Plant of Sargang W.S.S.	89,150.00	45 (forty five) days
40.	Providing Fencing around Treatment Plant of Narang W.S.S.	93,700.00	45 (forty five) days
41.	Providing Fencing around Treatment Plant of Umjong W.S.S.	89,150.00	45 (forty five) days
42.	Providing Fencing around Treatment Plant of Wahskhen W.S.S.	62,000.00	45 (forty five) days
43.	Providing Fencing around Clear Water Reservoir of Pahamlum (Nongkhra) W.S.S.	40,800.00	45 (forty five) days
	<b>UMTHAM (ATGANG) W.S.S.</b>		
44.	Construction of Clear Water Gravity Main from Pt-B to Pt-C	17,300.00	45 (forty five) days
45.	Construction of Clear Water Gravity Main from Pt-B to Pt-D	28,200.00	45 (forty five) days
46.	Construction of Clear Water Gravity Main from Pt-B to Pt-E	32,300.00	45 (forty five) days
47.	Construction of Clear Water Gravity Main from Pt-B to Pt-F	16,000.00	45 (forty five) days
48.	Laying of Distribution System Gr.-I	28,000.00	45 (forty five) days
49.	Laying of Distribution System Gr.-II	28,000.00	45 (forty five) days
	<b>UMTA THYMMAI W.S.S.</b>		
50.	Laying of Distribution System	35,500.00	45 (forty five) days
	<b>AUGMENTATION &amp; EXTENSION OF BAKHLAPARA W.S.S.</b>		
51.	Laying of Distribution System Gr.-I	22,500.00	45 (forty five) days
52.	Laying of Distribution System Gr.-II	22,500.00	45 (forty five) days
53.	Laying of Distribution System Gr.-III	22,500.00	45 (forty five) days
54.	Laying of Distribution System Gr.-IV	22,500.00	45 (forty five) days
	<b>PAHAMLUM (PAHAMRIOH THEM) W.S.S.</b>		
55.	Laying of Distribution System Gr.-I	29,700.00	45 (forty five) days
56.	Laying of Distribution System Gr.-II	29,700.00	45 (forty five) days

SL. NO.	NAME OF SCHEME	TENDER VALUE (Rs.)	TIME ALLOTTED FOR COMPLETION OF WORK
	<b>AMJOK COMB. W.S.S.</b>		
57.	Laying of Distribution System for Upper Amjok	16,500.00	45 (forty five) days
58.	Laying of Distribution System for Lower Amjok	22,600.00	45 (forty five) days
59.	Laying of Distribution System for Proper Amjok Gr.-I	42,000.00	45 (forty five) days
60.	Laying of Distribution System for Proper Amjok Gr.-II	42,000.00	45 (forty five) days
	<b>MAWKANGI THEM &amp; MAWKANGI JRONG W.S.S.</b>		
61.	Laying of Raw Water Gravity Main Gr.-I	16,900.00	30 (thirty) days
62.	Laying of Raw Water Gravity Main Gr.-II	16,900.00	30 (thirty) days
63.	Laying of Distribution System	35,400.00	30 (thirty) days
64.	Construction of Slow Sand Filter	1,22,900.00	60 (sixty) days
65.	Construction of Clear Water Reservoir	78,700.00	60 (sixty) days

#### TERMS AND CONDITIONS

1. The intended Contractor have to acquaint with the work or location before casting the tender (s).
2. The rates are to be quoted in flat percentage basis i.e. ABOVE / AS PAR the schedule of Rate for the year 2005-06 of Superintending Engineer (PHE) Rural Circle, Shillong.
3. The rate should be quoted clearly both in figure and words. Any cutting or overwriting should bear the signature of the tenderer or else the same will be rejected.
4. All the contructional materials like, Specials Cement T.S/M.S, rod etc. (except G.I pipes which will be issued from PHE Nongpoh, Store) will have to be arranged by the Contractor.
5. The VAT / Forest Royalty shall be realized from the bills as per current Government Rate / Circular.
6. Non-Tribal Contractors shall have to furnish the Valid Trading License from the Khasi Hills Autonomous District Council alongwith the tender failing which the tender will be rejected.
7. No subletting tender shall be entertained and a declaration as the work will be executed by himself /herself must be submitted along with the tender.
8. A copy of the recent passport size duly attested by the Gazetted Officer / M.L.A. should be on the tender (s) papers.
9. The current registration number (with proof) and full postal addres should be given along with the tenders.
10. The name of work must clearly be written on the Sealed Envelope.
11. Canvassing in any form in connection with the tenderer is strictly prohibited.
12. Contractors are advised not to incorporate any price escalation Clause in their offer for quick and easy assessment of tenders. Offers made should be clear and ambiguous conditional offers are like to be rejected.
13. In case any disputes arising during execution of the work, the decision of the Executive Engineer (PHE) Nongpoh Division decision shall be final and binding.

14. No labour under 14 (fourteen) years of age shall be employed on the work and labourers shall be paid at the rates of wages not less than those paid for similar works.
15. In case if the date of opening of tender paper falls on holiday, the next working day will be the date of opening of tender paper.
16. Clas-II & Class-III Contractors has to deposit the earest money as applicable.
17. Permanent Account Number (PAN) is compulsory, without which Tender Paper will be automatically rejected.

Executive Engineer (PHE),  
R.W.S. Division, Nongpoh.

Shillong, the 24th October, 2009.

**No.DMR/STORE/77/2005/1768-A.**—Quotations are invited for supply of Tents and Tarpaulin, Drilling accessories, Survey equipments, Geo-technical and Laboratory Chemical and equipment so as to reach the office of the Undersigned on or before 28th October, 2009.

Tender papers may be obtained from the office of the undersigned from 8th September, 2009. The cost of tender paper is Rs.100/- by uncrossed I.P.O.

For details contact the Undersigned.

**D. K. BHATTACHARRYA,**  
Director of Mineral Resources,  
Meghalaya, Shillong.

Shillong, the 5th October, 2009.

**SUBJECT :- NOTICE INVITING TENDER FOR PURCHASE OF BUSES UNDER JNNURM FOR SHILLONG CITY.**

**REFERENCE:- No. MUDA/MON/49/2008-09/160 Dated 22nd September, 2009**

**No.MUDA/MON/49/2008-09/190.**— Reference the above tender notice, the last date of submission of tenders is hereby extended upto 3:00 P.M. on 19th October, 2009 and will be opened on the same date if possible. The last date for sale of Tender Documents is upto 2:00 P.M. on 16th October, 2009. Other Terms and Conditions remain.

**Secretary,**  
Meghalaya Urban Development  
Authority, Shillong.



Shillong, the 29th September, 2009.

### SHORT TENDER NOTICE

**No.SE(E)TB/CS/08/2009-10/6049-62.**— Sealed tender duly affixed with Non-refundable Court Fee Stamp of Rs.300/- (Rupees three hundred) only per set/group eventually to be drawn in P.W.D. F-2 Form are hereby invited on behalf of the Governor of Meghalaya from Registered Contractors with a Registration No. for the year 2009-2010 of Class-I of Meghalaya, P.W.D. (Roads) and Class-II of Eastern Shillong, Circle P.W.D. (Roads) for the following works and will be received in the office of the Undersigned upto 2:00 P.M. on the 16th October, 2009 and will be opened on the same date at 2:15 P.M. Intending Contractors or their authorized agents may present at the time of opening the tenders, if they so desired.

- (i) **Name of Work :-** P.R. work (Roads) for 2009 - 2010 (12th Finance Commission) under Sohra Division.
  - (ii) **Nature of Work :-** P.R. works.
  - (iii) **Approximate Value :-** Rs.46,00,000.00 (Rupees Forty Six Lakhs) only (In Groups)
  - (iv) **Time of Completion :-** 3 (three) months from the date of issue work order.
1. Payment :- Subject to availability of fund.
  2. Earnest Money :- 2% (1% for Scheduled Tribe and Backward Classes).
  3. Rate :- To be quoted on flat percentage basis of AT PAR/ABOVE the Scheduled of Rates for Roads, Bridges and E & D works of Eastern Shillong Circle, PWD (Roads), Meghalaya for the year 2008-2009.
  4. Intending contractors are advised to purchase Tender papers @ Rs.500/- (Rupees five hundred) only (Non-refundable) from the office of the undersigned during office hours upto 3:00 P.M. from 14th October, 2009 to 15th October, 2009. No tender papers will be issued after that date and hours.
  5. Cash Receipt for the cost of tender papers should be attached with the tender papers at the time of submission.
  6. Tenderers (Contractors) should also furnish an undertaking that the work will be executed by the Contractor/ tenderers himself/herself.
  7. Forest Royalty, Value Added Tax, Sale Tax as applicable.
  8. If the date for receipt of tenders happened to be a holiday, the tenders will be received and opened on the next working day at the same time and place.
  9. The undersigned reserved the right to reject any or all the tenders, to split the work to more than one contractor and also not bound to accept the lowest quoted rates without assigning any reason thereof.
  10. Non-Tribal Contractors shall have to furnish Valid Trading License.
  11. No illegal migrant labourer shall be employed for the work by the contractor.
  12. Detailed Particulars may be seen in the office of the undersigned on all working days during office hours.
  13. Incomplete Tender papers will be summarily rejected.

**S. PYNGROPE,**  
Superintending Engineer, P.W.D. (Road),  
Eastern Shillong Circle, Shillong.



Shillong, the 29th September, 2009.

### SHORT TENDER NOTICE

**No.SE(E)TB/CS/09/09-10/6063-76.**—Sealed tender duly affixed with Non-refundable Court Fee Stamp of Rs.300/- (Rupees three hundred) only per set/group eventually to be drawn in P.W.D. F-2 Form are hereby invited on behalf of the Governor of Meghalaya from Registered Contractors with a Registration No. for the year 2009-2010 of Class-I of Meghalaya, P.W.D. (Roads) and Class-II of Eastern Shillong, Circle P.W.D. (Roads) for the following works and will be received in the office of the Undersigned upto 2:00 P.M. on the 16th October, 2009 and will be opened on the same date at 2:15 P.M. Intending Contractors or their authorized agents may present at the time of opening the tenders, if they so desired.

- i) Name of Work :-** P.R. work (Roads) for 2009 - 2010 (12th Finance Commission) under Shillong South Division.
- (ii) Nature of Work :-** Repairing of pot holes, broken edges and resurfacing by thin carpeting.
- (iii) Approximate Value :-** Rs.34,00,000.00 (Rupees Thirty four Lakhs) only (In Groups).
- (iv) Time of Completion :-** 3 (three) months from the date of issue of work order.
1. Payment :- Subject to availability of fund.
  2. Earnest Money :- 2% (1% for Scheduled Tribe and Backward Classes).
  2. Earnest Money :- 2% (1% for Scheduled Tribe and Backward Classes).
  3. Rate :- To be quoted on flat percentage basis of AT PAR/ABOVE the Scheduled of Rates for Roads, Bridges and E & D works of Eastern Shillong Circle, PWD (Roads), Meghalaya for the year 2008-2009.
  4. Intending contractors are advised to purchase Tender papers @ Rs.500/- (Rupees five hundred) only (Non-refundable) from the office of the undersigned during office hours upto 3:00 P.M. from 14th October, 2009 to 15th October, 2009. No tender papers will be issued after that date and hours.
  5. Cash Receipt for the cost of tender papers should be attached with the tender papers at the time of submission.
  6. Tenderers (Contractors) should also furnish an undertaking that the work will be executed by the Contractor/ tenderers himself/herself.
  7. Forest Royalty, Value Added Tax, Sale Tax as applicable.
  8. If the date for receipt of tenders happened to be a holiday, the tenders will be received and opened on the next working day at the same time and place.
  9. The undersigned reserved the right to reject any or all the tenders, to split the work to more than one contractor and also not bound to accept the lowest quoted rates without assigning any reason thereof.
  10. Non-Tribal Contractors shall have to furnish Valid Trading License.
  11. No illegal migrant labourer shall be employed for the work by the contractor.
  12. Detailed Particulars may be seen in the office of the undersigned on all working days during office hours.
  13. Incomplete Tender papers will be summarily rejected.

**S. PYNGROPE,**  
Superintending Engineer, P.W.D. (Road),  
Eastern Shillong Circle, Shillong.

Shillong, the 29th September, 2009.

### SHORT TENDER NOTICE

**No.SE(E)TB/CS/10/09-10/6034-48.**— Sealed tenders duly affixed with Non-refundable Court Fee Stamp of Rs.300/- (Rupees three hundred) only per set/group eventually to be drawn in P.W.D. F-2 Form are hereby invited on behalf of the Governor of Meghalaya from Registered Contractors with a Registration No. for the year 2009-2010 of Class-I of Meghalaya, P.W.D. (Roads) and Class-II of Eastern Shillong, Circle P.W.D. (Roads) for the following works and will be received in the office of the undersigned upto 2:00 P.M. on the 16th October, 2009 and will be opened on the same date at 2:15 P.M. Intending Contractors or their authorised agents may present at the time of opening the tenders, if they so desired.

- (i) **Name of Work :-** P.R. work (Roads) for 2009 - 2010 (12th Finance Commission) under Mawsynram Division.
  - (ii) **Nature of Work :-** Bituminous 20 mm premixed carpet including Grouting.
  - (iii) **Approximate Value :-** Rs.31,00,000.00 (Rupees thirty one lakhs) only (In Groups).
  - (iv) **Time of Completion :-** 3 (three) months from the date of issue of work order.
1. Payment :- Subject to availability of fund.
  2. Earnest Money :- 2% (1% for Scheduled Tribe and Backward Classes).
  3. Rate :- To be quoted on flat percentage basis of AT PAR/ABOVE the Scheduled of Rates for Roads, Bridges and E & D works of Eastern Shillong Circle, PWD (Roads), Meghalaya for the year 2008-2009.
  4. Intending contractors are advised to purchase Tender papers @ Rs.500/- (Rupees five hundred) only (Non-refundable) from the office of the undersigned during office hours upto 3:00 P.M. from 14th October, 2009 to 15th October, 2009. No tender papers will be issued after that date and hours.
  5. Cash Receipt for the cost of tender papers should be attached with the tender papers at the time of submission.
  6. Tenderers (Contractors) should also furnish an undertaking that the work will be executed by the Contractor/ tenderers himself/herself.
  7. Forest Royalty, Value Added Tax, Sale Tax as applicable.
  8. If the date for receipt of tenders happened to be a holiday, the tenders will be received and opened on the next working day at the same time and place.
  9. The undersigned reserved the right to reject any or all the tenders, to split the work to more than one contractor and also not bound to accept the lowest quoted rates without assigning any reason thereof.
  10. Non-Tribal Contractors shall have to furnish Valid Trading License.
  11. No illegal migrant labourer shall be employed for the work by the contractor.
  12. Detailed Particulars may be seen in the office of the undersigned on all working days during office hours.
  13. Incomplete Tender papers will be summarily rejected.

**S. PYNGROPE,**  
Superintending Engineer, P.W.D. (Roads),  
Eastern Shillong Circle, Shillong.

Shillong, the 1st October, 2009.

### SHORT TENDER NOTICE

**No.SE(E)TB/CS/12/09-10/6116-29.**— Sealed tenders duly affixed with Non-refundable Court Fee Stamp of Rs.300/- (Rupees three hundred) only per set/group eventually to be drawn in P.W.D. F-2 Form are hereby invited on behalf of the Governor of Meghalaya from Registered Contractors with a Registration No. for the year 2009-2010 of Class-I of Meghalaya, P.W.D. (Roads) and Class-II of Eastern Shillong, Circle P.W.D. (Roads) for the following works and will be received in the office of the undersigned upto 2:00 P.M. on the 22nd October, 2009 and will be opened on the same date at 2:15 P.M. Intending Contractors or their authorised agents may present at the time of opening the tenders, if they so desired.

- i) **Name of Work :-** P.R. work (Roads) for 2009 - 2010 (12th Finance Commission) under Umsning Division.
  - (ii) **Nature of Work :-** Repair of pot holes, broken edges and Providing PMC and PMSC.
  - (iii) **Approximate Value :-** Rs.34,00,000.00 (Rupees thirty four lakhs) only (In Groups).
  - iv) **Time of Completion :-** 3 (three) months from the date of issue of work order.
1. Payment :- Subject to availability of fund.
  2. Earnest Money :- 2% (1% for Scheduled Tribe and Backward Classes).
  3. Rate :- To be quoted on flat percentage basis of AT PAR/ABOVE the Scheduled of Rates for Roads, Bridges and E & D works of Eastern Shillong Circle, PWD (Roads), Meghalaya for the year 2008-2009.
  4. Intending contractors are advised to purchase Tender papers @ Rs.500/- (Rupees five hundred) only (Non-refundable) from the office of the undersigned during office hours upto 3:00 P.M. from 14th October, 2009 to 15th October, 2009. No tender papers will be issued after that time and hours.
  5. Cash Receipt for the cost of tender papers should be attached with the tender papers at the time of submission.
  6. Tenderers (Contractors) should also furnish an undertaking that the work will be executed by the Contractors/ tenderers himself/herself.
  7. Forest Royalty, Value Added Tax, Sale Tax as applicable.
  8. If the date for receipt of tenders happened to be a holiday, the tenders will be received and opened on the next working day at the same time and place.
  9. The undersigned reserved the right to reject any or all the tenders, to split the work to more than one contractor and also not bound to accept the lowest quoted rates without assigning any reason thereof.
  10. Non-Tribal Contractors shall have to furnish Valid Trading License.
  11. No illegal migrant labourer shall be employed for the work by the contractor.
  12. Detailed particulars may be seen in the office of the undersigned on all working days during office hours.
  13. Incomplete Tender papers will be summarily rejected.

**S. PYNGROPE,**  
Superintending Engineer, P.W.D. (Roads),  
Eastern Shillong Circle, Shillong.

Shillong, the 1st October, 2009.

### SHORT TENDER NOTICE

**No.SE(E)TB/CS/11/09-10/6130-43.**— Sealed tender duly affixed with Non-refundable Court Fee Stamp of Rs.300/- (Rupees three hundred) only per set/group eventually to be drawn in P.W.D. F-2 Form are hereby invited on behalf of the Governor of Meghalaya from Registered Contractors with a Registration No. for the year 2009-2010 of Class-I of Meghalaya, P.W.D. (Roads) and Class-II of Eastern Shillong, Circle P.W.D. (Roads) for the following works and will be received in the office of the undersigned upto 3:00 P.M. on the 22nd October, 2009 and will be opened on the same date and hours at 2:15 P.M. Intending Contractors or their authorised agents may present at the time of opening the tenders, if they so desired.

(i) **Name of Work :-** P.R. work (Roads) for 2009 - 2010 (12th Finance Commission) under Nongpoh Division.

(ii) **Nature of Work :-** P.M.C. & PMSC.

(iii) **Approximate Value :-** Rs.27,00,000.00 (Rupees twenty seven lakhs) only (In Groups).

(iv) **Time of Completion :-** 3 (three) months from the date of issue of work order.

1. Payment :- Subject to availability of fund.
2. Earnest Money :- 2% (1% for Scheduled Tribe and Backward Classes).
3. Rate :- To be quoted on flat percentage basis of AT PAR/ABOVE the Scheduled of Rates for Roads, Bridges and E & D works of Eastern Shillong Circle, PWD (Roads), Meghalaya for the year 2008-2009.
4. Intending contractors are advised to purchase Tender papers @ Rs.500/- (Rupees five hundred) only (Non-refundable) from the office of the undersigned during office hours upto 3:00 P.M. from 14th October, 2009 to 15th October, 2009. No tender papers will be issued after that date and hours.
5. Cash Receipt for the cost of tender papers should be attached with the tender papers at the time of submission.
6. Tenderers (Contractors) should also furnish an undertaking that the work will be executed by the Contractor/ tenderers himself/herself.
7. Forest Royalty, Value Added Tax, Sale Tax as applicable.
8. If the date for receipt of tenders happened to be a holiday, the tenders will be received and opened on the next working day at the same time and place.
9. The undersigned reserved the right to reject any or all the tenders, to split the work to more than one contractor and also not bound to accept the lowest quoted rates without assigning any reason thereof.
10. Non-Tribal Contractors shall have to furnish Valid Trading License.
11. No illegal migrant labourer shall be employed for the work by the contractor.
12. Detailed particulars may be seen in the office of the undersigned on all working days during office hours.
13. Incomplete Tender papers will be summarily rejected.

**S. PYNGROPE,**

Superintending Engineer, P.W.D. (Roads)  
Eastern Shillong Circle, Shillong.

Shillong, the 25<sup>th</sup> September, 2009.

### NOTICE INVITING TENDER:

**No.MFS/5-CX/2009-10/5646.** - Sealed Tender affixing non refundable Court Fee Stamp of Rs.1,000/- (Rupees One Thousand) only are invited for entering into rate contract for supply of Fire-Fighting Equipments for Meghalaya Fire & Emergency Service during the Financial year 2009-10. Sealed Tenders will be received up to 1100 Hrs. on 26.10.2009 in the office of the undersigned and will be opened on the same day at 1200 Hrs. by a Tender Opening Committee. Tenderers or their authorized representatives are invited at the time of opening the Tenders. Tenders received after 1200 Hrs. by hand or by post will be summarily rejected.

### TERMS & CONDITIONS

1. Tenders must be accompanied by the following: -
  - a. Affix non-refundable Court Fee Stamp of Rs.1,000/- (Rupees One Thousand) only .
  - b. Earnest Money of Rs.54,000/-(Rupees Fifty four thousand) only, in any of the following form: -
    - (i) Crossed Bank Draft.
    - (ii) Deposit at Call.
    - (iii) Fixed Deposit.
    - (iv) NSC/KVP.Pledged in favour of the Director General & Inspector General of Police, Meghalaya, Shillong from any Nationalised bank at Shillong.

For Tenderers belonging to scheduled tribes/castes only 50% (fifty percent) of the earnest Money mentioned above may be deposited, Earnest Money and papers available in the office in connection with any earlier Tenders/Supplies will not be considered as valid Earnest Money for this Tender.
  - c. Attested copy of V.A.T. Clearance Certificate & V.A.T. Registration Certificate with Firefighting Equipments as one of the registered listed item.
  - d. Financial stability certificate from a Scheduled Bank certifying that the Tenderer is financially sound to undertake the contract.
  - e. Attested copy Scheduled tribes/castes certificate in case of ST/SC tenderers.
  - f. Attested copy of valid Trading Licence in terms of the United Khasi & Jaintia Hills and Garo Hills (Trading by Non-Tribals) Regulation, 1954 for tenderers as amended from time to time who are required to obtain such a licence.
  - g. Authenticated copy of authorized dealership Certificate from the Manufacturers or Principals who has authorized dealers specifically certifying that the tenderer is authorized to deal with fire fighting equipments quoted in the tender notice. Separate Dealership Certificate will be required to be furnished by the tenderer if asked for in the list of items.
  - h. Authenticated copy of rate contract with D.G.S.&D. if the Tenderer or his/her Principals/Distributors have existing and valid rate contract with D.G.S.&D.
  - i. Attested copy recent Passport size photograph of the Tenderers should be attached to the tender.
  - j. Sample will be required to be submitted if asked for in the list of items. A list indicating name of the samples submitted by the tenderer should also be enclosed.All documents above from Sl. 1 (c) to 1 (j) should be duly attested by a G.O.
2. Rates should be: -
  - a. Quoted separately for each item and in words and rates should be for 1 (one) item 1 (one) rate. Same items with optional rates and optional quality will not be entertained and out rightly rejected.
  - b. Quoted F. O. R. destination, Shillong. Door delivery at Provincial Stores (Fire & Emergency Service), Nongthymmai, Shillong.
  - c. Inclusive of all charges like custom duty, packing, insurance and other incidental charges. Only Value Added Tax should be shown and calculated separately for each item.

- d. Written clearly in figures and in words. Any correction or overwriting in the tender papers/documents will be rejected.
- e. No enhancement of rate will be allowed once it is agreed to supply the items at the rates accepted by the Department. Failure to supply the items at the accepted rate will entail the offer being cancelled and the Security Money forfeited to the Govt. of Meghalaya.
3. An undertaking should be submitted by the tenderer before opening of the sealed tender stating that he/she is satisfied with the terms & condition of the N.I.T. and agree to abide by the same. In case of failure to submit the undertaking, the sealed tender of the particular firm will not be opened and will be returned back accordingly.
4. Tenders should be addressed to the undersigned by designation and not by name. The words "tender for supply of fire fighting equipments" must be super-scribed on the sealed envelope containing the Tender and the firm's seal should be stamped on the body of envelop. The Tender should be sent by registered post or delivered by hand.
5. The tenderer or their representatives/agents must be present during the tender opening alongwith their firm's seal and authority letter in case of representatives/agents. Whatever objection is to be raised should be done during the Tender Opening Proceeding. Raising objection after the completion of tender opening proceeding will be treated as null & void and the undersigned is not bound to entertain such objections.
6. If at the time of opening of tender, should there be any objection raised by the majority of the tenderer/representatives present as to validity of the tender, the objection will be duly examined by the Tender Opening Committee whose decision on such objection will be final and binding and tenderer will have no right to raise objection on the decision of the Tender Opening Committee.
7. Tenders without furnishing all the required papers/documents will automatically stand rejected.
8. Successful tenderer/tenderers will: -
  - i) be intimated by a letter of acceptance, till then, no tenderer has any right to assume that his/her tender has been accepted. There shall be no claim whatsoever for compensation for any expenditure incurred by any tenderers in anticipation of acceptance letter.
  - ii) have to submit Proforma Bill as and when called for and should comply with the requisition at any cost. Failing to comply with any of the demand/requisition made by the undersigned will invite forfeiture of Earnest Money.
  - (ii) be required to furnish a security deposit at the rates mentioned below and execute a contract agreement to ensure fulfillment of the terms and conditions of the N.I.T. and contract agreement, which the successful tenderer (s) will have to enter into. Security Deposit will be subjected to forfeiture in case of non-fulfillment of any or all terms and conditions of the Contract Agreement. The earnest money of the successful tenderer (s) will not be released till they furnish the full security deposit. Earnest Money of the successful tenderer (s) will be forfeited to the Government in case of failure to furnish the security deposit in full.
9. Rate of security Deposit: -

For contract upto Rs. 10.000/- 2% from locals and 3% from non-locals.

For contract upto Rs. 50.000/- 3% from locals and 4% from non-locals.

For contract over Rs. 50.000/- 10% of the total amount.

Schedule Caste/Tribes may deposit only 50% of the Security Deposit mentioned above.
10. The undersigned may rescind forthwith the contract in writing if,
  - a) A Tenderer assigns or sublets any contract in respect of the contract or any other contract entered into with the Govt.
  - b) Tenderer or his agent/servant are found guilty of fraud in respect of this contract or any other contract.
  - c) Declines, neglects or delays to comply with the demand/requisition or in any other way fails to perform or observe any or all the conditions of the contract agreement.

In case of such rescission the security deposit in full shall stand forfeited and absolutely be at the disposal of the Govt. without prejudice to any other remedy or action that the Govt. shall be entitle to take to recover from the successful tenderer (s) any extra expenses Govt. may deem necessary in obtaining the supplies from elsewhere .

11. In the event of the successful tenderer (s) failing to perform his/her part of any or all the conditions of the Contract to the satisfaction of the department or disregarding any terms and conditions of this tender notice or the Contract agreement, the successful tenderer (s) will be liable to any or all of the following actions at the discretion of the Superintendent of Police, (F&ES), Meghalaya, Shillong.
  - (i) Forfeiture of the security deposit in whole or part.
  - (ii) Making good the loss caused to the Government through the liabilities, neglect or delay in complying with the demand.
  - (iii) Cancellation of the contract without any prior notice.
12. If the successful tenderer (s) willfully neglect, fails to perform or observe any or all conditions of the contract agreement or Tender Notice or attempts to cheat or indulge in foul practices, the Deptt. may impose a ban upon such tenderer(s) for future business with the Deptt.
13. Items mentioned in the list are only illustrative and may omitted from the list of items to be purchased on finalization of order depending upon availability of fund.
14. The samples if asked for in the list of items are approved, no change of brand, shape, patterns, quality or specification will be entertained even on the plea of non-availability of raw material or alternative to the same quality.
15. The stores supplied must be of the same specification, weight and quality as the tendered samples. The successful tenderers will have to furnish the counter samples if required within 2 (two) weeks of receipt of information regarding acceptance of their tender. Failure to submit the counter sample in time as per specification of the approved sample will entail cancellation of the offer and forfeiture of earnest money/security deposit.
16. Delivery must be completed within 60 (sixty) days from the date of receipt of Supply Order. No extension of delivery period will be entertained.
17. Payment will be made to the supplier directly only on completion of supplies and on correct receipt of the goods by the consignee in good condition. Documents/Vouchers/R.R. bills etc. routed through Banks will not be accepted. Consignment will be dispatched by the Firm after payment of all freight charges at source. R.R. of freight will not be accepted.
18. Risk of transportation will be borne by the successful tenderers themselves.
19. Warranty period of the equipments should be indicated alongwith Sales Service facilities.
20. A list of all documents that are attached to the tender should be noted on the body of the envelop containing the tender.
21. The acceptance or rejection of the tender rest finally with the undersigned and reserves the right of rejecting any tender or any item in the tender without assigning any reason thereof.
22. The undersigned reserves to himself the right to reject any or all tenders without prior notice nor assigning any reason thereof.
23. Samples if submitted, the unsuccessful tenderers should collected by the Firm within 15 (fifteen) days after finalization by the purchase board. The undersigned is not responsible for the safe custody of the samples.
24. Firm/Supplier concerned are to furnish their address/contact telephone no. etc.
25. The Authority is not bound to accept the lowest tendered rates.

Superintendent of Police, (F&ES),  
Meghalaya, Shillong.

Enclo: "List of Equipments with Specification".



Tenders are invited for supply of Fire Fighting Equipments for Meghalaya Fire & Emergency Service during the financial year 2009-10.(under Modernization of Fire Service 2009-10) Sealed tender(s) will be received up to 1100 hours on 26.10.2009 in the office of the undersigned and will be opened on the same day at 1200 hours. Complete details will be available in the Office of the Superintendent of Police, (F&ES), Meghalaya, Shillong, during office hours.

Superintendent of Police, (F&ES),  
Meghalaya, Shillong.

Visit us at: [www.meghpol.nic.in](http://www.meghpol.nic.in).

LIST OF EQUIPMENTS WITH SPECIFICATION TO BE PROCURED DURING THE FINANCIAL YEAR 2009-10

**1. FLOATING FIRE PUMP.**

**SPECIFICATIONS:-**

- a. Self suction ability.
- b. Ability to pump out to the level of 1 cm.
- c. Unsinkable glass-fibre float fitted with heavy-duty polyurethane foam.
- d. Modern float shape gives high displacement ensured by low draught.
- e. Can operate with highly wasted water.
- f. Engine equipped with automatic revolutions controller maintaining its set working capacity.
- g. Graphics Ceramic mechanical seal.
- h. Dry work possibility.
- i. Dimensions – 765 X 630 X 430 mm.
- j. Weight – 26 Kg. or as minimum as possible.
- k. Maximum performance – 1200 litres per minute.
- l. Maximum water throw range – 30 metres.
- m. Raising head to – 30 metres of the column of water.
- n. Pressing root storz type – 75.
- o. Drought – 7 Cm.
- p. Frame and Rotor – Made of Alluminium.
- q. Horse Power of engine – 4 KW.
- r. Rotations – 3600 Rotation Per Minute.
- s. Fuel consumption – as low as possible.
- t. Fuel – Petrol.
- u. Tank capacity – 2 litres
- v. Engine oil – Mobil.  
Starting – manual

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

**2 Bolt Cutter (Heavy Duty).Sample should be submitted**

**3 PORTABLE WATER MIST FIRE FIGHTING SYSTEM ( back pack model):**

**SPECIFICATION :-** The filling capacity of the main vessel should be 10 litres and the weight of the fully charged system should not exceed more than 25 Kg. The main vessel shall be made of corrosion free aluminum and shall be provided with a pressure gauge on top of the vessel. The operating pressure should be within 34 BAR. The weight of the empty system should be within 14- 15 kg The diameter of the system should not exceed 200 mm and the height should be within 640 mm. The length of the hose should be 1.3m to 2 meter. The compressed Air bottle should be of 2 litres capacity x 200/300 Bar to be used for discharge of 10 litres solution with full power. The length of the gun shall not be more than 500mm and the weight of the extinguishing gun should be within 750 to 800 grams. and the design of the gun shall be such that there is minimum recoil pressure during operation and shall have the locking facility to avoid misuse. The operation duration with continuous jet should be 22 – 23 seconds, and the lancing distance should not be less than 10 – 12 meter The system shall clean automatically as the remaining air is blown out of the container and system shall be ready for quick second recharge. The system shall be single face, single hose type for easy movement during fire fighting and valve shall be located on upright position. The system shall be rechargeable minimum two times with the same air cylinder. The Rubber tube shall be of central core, oil resistant synthetic rubber One cover shall be provided which should be of synthetic rubber with high abrasion, Ozone and weather resistant. The Testing Pressure should be 126 Bar, and the cracking pressure should be 252 bar. The working pressure of the Rubber hose should be of 763 bar and testing pressure of 126 bar, and the cracking pressure of 252 bar. The gun cover should be PA 66 (Polyamide 66) Nozzle with all the parts of stainless steel.

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

**4 MULTI PURPOSE NOZZLE**

**SPECIFICATION :-** The Multi purpose nozzle should be designed in such a way that it should be light in weight and operational friendly with a pistol grip. The construction should be of Light Alloy construction and hard Anodized for prevention of abrasion and corrosion. The Flow Rate should be 50 – 210 GPM with selectable detent output. The flow pattern should be of straight stream to dense, and should have fog pattern with molded rubber bumper with power fog teeth. The output pattern setting should have stream jet, water curtain, and spray fog. The system should have a automatic pressure regulating system of 100 PSI standard pressure and Emergency Low Pressure. The supply connection should be of 63 mm male instantaneous connection with strong pistol type grip It shall have a shut off valve with flow diversion for the fog water way operating at even low pressure like 3 – 4bar. The lancing distance should not be less than 40 – 50 meter with effective jet.

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

**5 CONFINED SPACE ENTRY AND RETRACTABLE SYSTEM**

**SPECIFICATION :-** The system should be in the shape of TRIPOD of light weight. with adjustable telescopic feet with pivoting sole plate. and anti slipping rubber packing. The system should consist of a Winch to be used for lifting or lowering of the person. The lifting length should be from 10 meter to 45 meter, and the capacity of the winch should be from 250 kg to 1000 kg.. The system should ensure automatic locking in the event of fall. The retractable length should not be less than 2.5m to 30m. The rope used in the winch should be of either galvanized steel, stainless steel or synthetic material. The system should be provided with a fall indicator , easy carrying handle and automatic fall protection device with integrated winch for ascent or descent.

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

6. **BLOWER & EXHAUSTER** Dual purpose should work with positive & Negative intake attached with collapsible suction Engine with singly cylinder, 10 HP, 4 stroke engine, gasoline drive, Air cool.

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

7. **RUBBER DINGY BOAT** (Inflatable, cut proof and collapsible dingy boat)

SPECIFICATION:-The Dinghy should be inflatable type and should made of impermeable, light weight polymer coated fabrics. The boat should have the capacity to accommodate 10 person.

Length overall :	5.00meters
Width overall:	2.00meter
Tube diameter- Upper	500 mm
Tube diameter- lower	250mm
Number of Chamber- upper tube	4
Number of Chamber- lower tube	1
Capacity (person)	10
Load carrying capacity	1500 kg
Weight of the boat	70 kg -80kg
Propulsion	30 HP OBM or peddling
Construction	Double buoyancy Tube

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

OTHER SPARE PARTS (Catalog /literature should be submitted)

8. Spark Plug (K-12) Champion.RCJ-7Y
9. Spark Plug BPR 6ES NGK (GX)160
10. Spark Plug NGK BPR 7A (for chain saw)
11. Spark Plug NGK/R BMR 6A (for combi tools)NGK/R BPR 4HS/10 (Honda)
12. V-belt (K-12)
13. Abrasive Blade (B88992/5460 RPM)
14. Diamond tips blade
15. Mercury Bulb for Inflatable light tower (400 W & 600 W) halide lamp.
16. Carbide tips chain No. 5056395
17. Air filter for coltri sub compressor machine
18. 'O' Ring for diving cylinders
19. Driving gear pinion for centrifugal pump
20. Cordoning tape
21. Mask strap for diving suits
22. Fins strap with lock for diving suit.
23. Regulator Mouth piece for diving suit
24. Diving Cylinders 18 liters
25. Ear mask.
26. Small face mask.

\*\*\*\*\*

Shillong, the 25<sup>th</sup> September, 2009.

### NOTICE INVITING TENDER

**No.MFS/A-35/2009-10/5667.** - Sealed Tender affixing non refundable Court Fee Stamp of Rs.1,000/- (Rupees One Thousand) only are invited for entering into rate contract for supply of Fire-Fighting Equipments for Meghalaya Fire & Emergency Service during the Financial year 2009-10. Sealed Tenders will be received upto 1100 Hrs. on 28.10.2009 in the office of the undersigned and will be opened on the same day at 1200 Hrs. by a Tender Opening Committee. Tenderers or their authorized representatives are invited at the time of opening the Tenders. Tenders received after 1200 Hrs. by hand or by post will be summarily rejected.

#### TERMS & CONDITIONS:-

1. Tenders must be accompanied by the following: -
  - a. Affix non-refundable Court Fee Stamp of Rs.1,000/- (Rupees One Thousand) only .
  - b. Earnest Money of Rs.1,70,000/-(Rupees One lakh Seventy thousand) only, in any of the following form: -
    - (i) Crossed Bank Draft.
    - (ii) Deposit at Call.
    - (iii) Fixed Deposit.
    - (iv) NSC/KVP.

Pledged in favour of the Director General & Inspector General of Police, Meghalaya, Shillong from any Nationalised bank at Shillong.

For Tenderers belonging to scheduled tribes/castes only 50% (fifty percent) of the earnest Money mentioned above may be deposited, Earnest Money and papers available in the office in connection with any earlier Tenders/Supplies will not be considered as valid Earnest Money for this Tender.
  - c. Attested copy of V.A.T. Clearance Certificate & V.A.T. Registration Certificate with Firefighting Equipments as one of the registered listed item.
  - d. Financial stability certificate from a Scheduled Bank certifying that the Tenderer is financially sound to undertake the contract.
  - e. Attested copy Scheduled tribes/castes certificate in case of ST/SC tenderers.
  - f. Attested copy of valid Trading Licence in terms of the United Khasi & Jaintia Hills and Garo Hills (Trading by Non-Tribals) Regulation, 1954 for tenderers as amended from time to time who are required to obtain such a licence.
  - g. Authenticated copy of authorised dealership Certificate from the Manufacturers or Principals who has authorised dealers specifically certifying that the tenderer is authorized to deal with fire fighting equipments quoted in the tender notice. Separate Dealership Certificate will be required to be furnished by the tenderer if asked for in the list of items.
  - h. Authenticated copy of rate contract with D.G.S.&D. if the Tenderer or his/her Principals/Distributors have existing and valid rate contract with D.G.S.&D.
  - i. Attested copy recent Passport size photograph of the Tenderers should be attached to the tender.
  - j. Sample will be required to be submitted if asked for in the list of items. A list indicating name of the samples submitted by the tenderer should also be enclosed.

All documents above from Sl. 1 (c) to 1 (j) should be duly attested by a G.O.
2. Rates should be: -
  - a. Quoted separately for each item and in words and rates should be for 1 (one) item 1 (one) rate. Same items with optional rates and optional quality will not be entertained and out rightly rejected.
  - b. Quoted F. O. R. destination, Shillong. Door delivery at Provincial Stores (Fire & Emergency Service), Nongthymmai, Shillong.
  - c. Inclusive of all charges like custom duty, packing, insurance and other incidental charges. Only Value Added Tax should be shown and calculated separately for each item.
  - d. Written clearly in figures and in words. Any correction or overwriting in the tender papers/documents will be rejected.

- e. No enhancement of rate will be allowed once it is agreed to supply the items at the rates accepted by the Department. Failure to supply the items at the accepted rate will entail the offer being cancelled and the Security Money forfeited to the Govt. of Meghalaya.
3. An undertaking should be submitted by the tenderer before opening of the sealed tender stating that he/she is satisfied with the terms & condition of the N.I.T. and agree to abide by the same. In case of failure to submit the undertaking, the sealed tender of the particular firm will not be opened and will be returned back accordingly.
4. Tenders should be addressed to the undersigned by designation and not by name. The words "tender for supply of fire fighting equipments" must be super-scribed on the sealed envelope containing the Tender and the firm's seal should be stamped on the body of envelop. The Tender should be sent by registered post or delivered by hand.
5. The tenderer or their representatives/agents must be present during the tender opening alongwith their firm's seal and authority letter in case of representatives/agents. Whatever objection is to be raised should be done during the Tender Opening Proceeding. Raising objection after the completion of tender opening proceeding will be treated as null & void and the undersigned is not bound to entertain such objections.
6. If at the time of opening of tender, should there be any objection raised by the majority of the tenderer/representatives present as to validity of the tender, the objection will be duly examined by the Tender Opening Committee whose decision on such objection will be final and binding and tenderer will have no right to raise objection on the decision of the Tender Opening Committee.
7. Tenders without furnishing all the required papers/documents will automatically stand rejected.
8. Successful tenderer/tenderers will: -
- i) be intimated by a letter of acceptance, till then, no tenderer has any right to assume that his/her tender has been accepted. There shall be no claim whatsoever for compensation for any expenditure incurred by any tenderers in anticipation of acceptance letter.
  - ii) have to submit Proforma Bill as and when called for and should comply with the requisition at any cost. Failing to comply with any of the demand/requisition made by the undersigned will invite forfeiture of Earnest Money.
  - (ii) be required to furnish a security deposit at the rates mentioned below and execute a contract agreement to ensure fulfillment of the terms and conditions of the N.I.T. and contract agreement, which the successful tenderer (s) will have to enter into. Security Deposit will be subjected to forfeiture in case of non-fulfillment of any or all terms and conditions of the Contract Agreement. The earnest money of the successful tenderer (s) will not be released till they furnish the full security deposit. Earnest Money of the successful tenderer (s) will be forfeited to the Government in case of failure to furnish the security deposit in full.
9. Rate of security Deposit: -  
For contract upto Rs. 10.000/- 2% from locals and 3% from non-locals.  
For contract upto Rs. 50.000/- 3% from locals and 4% from non-locals.  
For contract over Rs. 50.000/- 10% of the total amount.  
Schedule Caste/Tribes may deposit only 50% of the Security Deposit mentioned above.
10. The undersigned may rescind forthwith the contract in writing if,
- a) A Tenderer assigns or sublets any contract in respect of the contract or any other contract entered into with the Govt.
  - b) Tenderer or his agent/servant are found guilty of fraud in respect of this contract or any other contract.
  - c) Declines, neglects or delays to comply with the demand/requisition or in any other way fails to perform or observe any or all the conditions of the contract agreement.
- In case of such rescission, the security deposit in full shall stand forfeited and absolutely be at the disposal of the Govt. without prejudice to any other remedy or action that the Govt. shall be entitle to take to recover from the successful tenderer (s) any extra expenses Govt. may deem necessary in obtaining the supplies from elsewhere .
11. In the event of the successful tenderer (s) failing to perform his/her part of any or all the conditions of the Contract to the satisfaction of the department or disregarding any terms and conditions of this tender notice or

the Contract agreement, the successful tenderer (s) will be liable to any or all of the following actions at the discretion of the Superintendent of Police, (F&ES), Meghalaya, Shillong.

- (i) Forfeiture of the security deposit in whole or part.
  - (ii) Making good the loss caused to the Government through the liabilities, neglect or delay in complying with the demand.
  - (iii) Cancellation of the contract without any prior notice.
12. If the successful tenderer (s) willfully neglect, fails to perform or observe any or all conditions of the contract agreement or Tender Notice or attempts to cheat or indulge in foul practices, the Deptt. may impose a ban upon such tenderer(s) for future business with the Deptt.
  13. Items mentioned in the list are only illustrative and may omitted from the list of items to be purchased on finalization of order depending upon availability of fund.
  14. The samples if asked for in the list of items are approved, no change of brand, shape, patterns, quality or specification will be entertained even on the plea of non-availability of raw material or alternative to the same quality.
  15. The stores supplied must be of the same specification, weight and quality as the tendered samples. The successful tenderers will have to furnish the counter samples if required within 2 (two) weeks of receipt of information regarding acceptance of their tender. Failure to submit the counter sample in time as per specification of the approved sample will entail cancellation of the offer and forfeiture of earnest money/security deposit.
  16. Delivery must be completed within 60 (sixty) days from the date of receipt of Supply Order. No extension of delivery period will be entertained.
  17. Payment will be made to the supplier directly only on completion of supplies and on correct receipt of the goods by the consignee in good condition. Documents/Vouchers/R.R. bills etc. routed through Banks will not be accepted. Consignment will be dispatched by the Firm after payment of all freight charges at source. R.R. of freight will not be accepted.
  18. Risk of transportation will be borne by the successful tenderers themselves.
  19. Warranty period of the equipments should be indicated alongwith Sales Service facilities.
  20. A list of all documents that are attached to the tender should be noted on the body of the envelop containing the tender.
  21. The acceptance or rejection of the tender rest finally with the undersigned and reserves the right of rejecting any tender or any item in the tender without assigning any reason thereof.
  22. The undersigned reserves to himself the right to reject any or all tenders without prior notice nor assigning any reason thereof.
  23. Samples if submitted, the unsuccessful tenderers should collected by the Firm within 15 (fifteen) days after finalization by the purchase board. The undersigned is not responsible for the safe custody of the samples.
  24. Firm/Supplier concerned are to furnish their address/contact telephone no. etc.
  25. The Authority is not bound to accept the lowest tendered rates.
  - 26.

Superintendent of Police, (F&ES),  
Meghalaya, Shillong.

Encl: "List".

Tenders are invited for supply of Fire Fighting Equipments for Meghalaya Fire & Emergency Service during the financial year 2009-10.(under State Plan 2009-10) Sealed tender(s) will be received up to 1100 hours on 28.10.2009 in the office of the undersigned and will be opened on the same day at 1200 hours. Complete details will be available in the Office of the Superintendent of Police, (F&ES), Meghalaya, Shillong, during office hours.

Superintendent of Police, (F&ES),  
Meghalaya, Shillong.

Visit us at: [www.meghpol.nic.in](http://www.meghpol.nic.in).

**LIST OF EQUIPMENTS TO BE PROCURED DURING THE FINANCIAL YEAR 2009-10**

**1. INFLATABLE LIGHT TOWER 4.5 METERS IN HEIGHT.**

**SPECIFICATIONS:-**Unit should:-

- i. be compact, portable and foldable.
- ii. accommodate generator set, inflatable tower balloon in cylindrical form blowers and lamp mounted inside of the balloon.
- iii. be maximum 590 X 450 X 470 mm. (+/- 10%) in size.
- iv. not weigh more than 45 Kgs. Without petrol.
- v. The inflatable tower should be made of water proof polyester treated with polyurethane and the special coated synthetic fabric should be with three different layers of polyester on the outside, polyurethane at the center and the aluminate surface inside which works as the reflecting surface for better dispersion of light.
- vi. withstand temperature rise up to 90° centigrade.
- vii. have low-grade porosity for specially coated synthetic fabric cylinder to permit correction emission of air and maintain the required air pressure to keep the cylindrical structure in inflated condition. The construction of specially coated synthetic fabric cylinder should be such that there is no formation of condensed humidity on its inner wall.
- viii. be inflated in the form of cylindrical structure up to the height of 4.5 metres within 60 seconds and within 3 minutes achieve maximum light efficiency.
- ix. remain inflated with the help of continuous air blower system which will be compact in design having two blowers to maintain the required pressure to keep the structure inflated even during stiff windy conditions and withstand wind velocity of at least 45 KMs per hour.
- x. be rainproof and should conform to the IP standard of IP-X5.
- xi. comprise of metal halide lamp of 1 X 400 W.HPMH fitted inside on the top of the inflatable tower at 4.5 metre height to illuminate an area of 10.000 Sq. metre. The 400 W.HMPH lamp should have 42.000 lumens output and protected by wire guard. The lamp should be properly placed inside.
- xii. have a generator of reputed make and high standard confirming to national/international standard, petrol driven of 3.5 BHP 4 stroke engine, having alternator of 1.2 KVA, suitable to be accommodated in the above frame size/inflatable lighting system.
- xiii. be able to be folded back to its initial position within 1 minutes and the necessary air release system provided.
- xiv. come with a container box.



- xv. be provided with the trolley having handle and towing wheel assembly so that it can be shifted very easily from one place to another.
- xvi. be provided with the 50 W. Halogen lamp with 30 Mtrs extension cable with its sheath made out of shock proof heat resistant material.
- xvii. be provided with a G.I. Box so as to keep the equipment safe when not in use.

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

## **2. DRAGON LIGHT/SEARCH LIGHT.**

**SPECIFICATION:-**It should be fitted with an aviation specification sealed beam unit rated at 50 Watts (700,000 cp.). The bulbs should be highly resistant to shock and vibration. The battery should be a Military specified Ni-Cad battery capable of withstanding high temperatures and should be designed to have a service life of 8 years (Approx.) of frequent use. There should be a battery-saving circuit that shall automatically cut off the power to the filament before the battery is completely exhausted. There should be an audible alarm when the battery is low that should indicate that the cut out will trip in approx. 5-8 minutes time. It should be a one-piece plastic casing that is virtually un-breakable and will withstand impact and harsh environmental conditions. All fitting should be sealed and Water and Dust resistant. The beam should produce high-intensity light over 700 mtrs. in clear conditions with a superb width of illumination.

The following are the specifications that have to be adhered to:-

- i) Weight – 3.0 Kg. (Approx.).
- ii) Charging Units – 850g.
- iii) Mains Input – 145 X 85 X 90.
- iv) Dragon – 50 W.
- v) Output – 700,000 cp.
- vi) Beam Angle – 8 deg. X 6 deg.
- vii) Bulb Type – Double Envelope Halogen.
- viii) Running Time – 1 hour to 1 hour 20 min.
- ix) Range – 700 m. in ideal conditions.
- x) Auto-cut out level – 7.5 V.
- xi) Warning sounder level – 10.3 V.
- xii) Humidity – 0 to 95 percent relative humidity. (store in cool dry conditions)
- xiii) Water Splash & Dust resistance

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

## **3. BREATHING APPARATUS SET (B.A.SET).**

**SPECIFICATION:-**Self contained Breathing Apparatus Set (Compressed Air) with two stage positive pressure reducing valve, first breath mechanism quick lock bayonet connection. Demand Valve, non-dermatic neoprene low profile pana seal full face mask, ergonomically designed tubular padded back plate, rubber shrouded pressure gauge with warning whistle for 45 minutes duration with various other optional arrangement.

**BACK PLATE:-** Light weight composite back plate, fail safe spring ladder piston reducer, luminous pressure gauge with warning whistle, non-dermatic silicon full vision facemask, Auto positive. Demand valve with hands free bypass facility & fail safe servo mechanism with various other optional arrangement.

**CYLINDER/TANK:-** The cylinder/tank should have a water capacity of 10 ltrs and made of chromium molybdenum steel alloy designed to operate at 200 bar. The tank/cylinder should be phosphatised inside and galvanised and painted outside to insure durability. All valves should be approved for bracket mounted regulators. The tank should be supplied with back plate with adjustable re-enforce soft rubber, shoulder straps, quick release buckles, tank hourness that can be adjusted to hold tanks with 10 ltrs. capacity and with non-slip internal support.

**PRESSURE GAUGE:-** The pressure gauge instrument should come with luminous dial and the emergency reserve area should be highlighted. The gauge should have a rotating hose and housing. It should be encased in soft shockproof heat resistant rubber.

**FACE MASK:-** The face mask should be a single lense mask that ensure excellent luminosity and visibility. It should be made of shock proof polycarbonate and transparent silicon and should be able to cover the full face of the user. The buckles should be rapid adjustable type.

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

4. **RRL Delivery Hose** with Gunmetal couplings copper binding 63 mm. dia. (2 ½ ") 22.5 meters in length as per I:S 903/636/1984. Sample of full length with coupling at both end should be enclosed.
5. **Fully Embedded Suction Hose** with GM couplings copper binding 100 mm dia. (4") 3 meters in length as per I:S 902/1974. Sample of full length should be enclosed
6. **Fully Embedded Suction Hose** with GM coupling copper binding 75 mm dia. (3") 3 meters in length as per I:S 902/1974 Sample of full length should be enclosed
7. **Stretcher** (St. John's Ambulance). Sample should be submitted
8. **Extension Line** (static type) 1 ½ inch Circumference 75 feet length .for extension ladder Sample should be submitted
9. **Foam Compound Drum** Protein Base packed in 20 lits. in plastic jerrycane as per IS 4989 (Pt-I) 1273. Sample should be submitted
10. **Metal strainer** 100 mm 4" dia. as per IS 907/1984. 1273 Sample should be submitted
11. **Suction Wrench** (Universal Type). Sample should be submitted
12. **Fireman Axe** (Insulated Handle, tested upto 20,000 volts) Sample should be submitted
13. **Life Buoy with lines** – Dimension 72x43 Cm, Thickness 11 Cm, Weight not less than 2.5 kg Sample should be submitted
14. **Fireman Helmet** (Red in colour) Sample should be submitted
15. **Life Jacket** (Pressurized type) Sample should be submitted
16. **Foam Extinguisher 9 Lt capacity** Sample should be submitted
17. **Fire Bucket** Round Bottom 9 liters capacity

**18. FIRE EXTINGUISHING BALLS**

**SPECIFICATION:** The ball should have the capacity to extinguish the fire at the incipient stage The weight of the ball should be within 1.5 Kg and the diameter should be within 147-148 mm The ball should be designed in such a way that it can be used in A,B & C class fires. The ball should not develop any crack, tearing, and leakages if dropped accidentally on a hard surface .and during operational use the ball should explode within 85 – 90 degree centigrade.

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

19. **Venial hand gloves** (cut proof ,leak proof) Sample should be submitted

**20. DIAMOND CHAIN SAW****SPECIFICATION :****Engine:**

Type – 2 stroke single cylinder air cooled.  
 Displacement – 6.2 cu. In (101 cc)  
 Horse Power – 6.5 HP @ 8700 rpm speed  
 Specially designed for wet cutting concrete and an abrasive environment.  
 Special crankshaft scaling and air filtration.

**Carburator:**

Walbro WGAK3, Throttle shaft sealed.

**Ignition:** Special water resistant electronic ignition.

**Fuel Capacity:**

0.26 gal (1 liter)

15-18 minutes per tank, continuous full- load

**Weight:**

27.56 lbs (12.5 kg)

**Dimensions:**

23 in. (58 cm) length

14 in. (36 cm) Height

12 in. (30 cm) Width

**Starter:** Dust and water shielded.

**Chain:**

General Concrete Premium chain (GCP)

Sealpro

Speed – 550 feet per min (28 m/s) free running.

**Wallwalker:** Patented Wallwalker with Pivot “dogs”

**Handles:** Closed Cell foam Covered full Wrap

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

**Cutting Depth:**

14 inches (35 cm)

Cuts reinforcement concrete upto 300 mm thickness with built in Iron Rod upto 12 mm dia.

**Guide Bar:** Flame coated.

**Noise Level:**

102 dBA @ 1 meter

**Cutting Rate:**

**Hard aggregates & Steel:**

15-25 in/min (90-160 cm/min)

**Medium aggregates:**

20-30 in/min (160-190 cm/min)

**Masonry, Block, Brick:**

30-50 in/min (190-320 cm/min)

**Provided with:**

- Momentary Contact On/Off Switch
- “Multiple Tool” and Tool Holder mounted on handle
- Water Pressure Gauge
- Swivel Hose connector 360 Degree (Important)
- Muffler Exhaust Port Cover
- Light Weight Magnesium Castings
- Rubber coated bottom and starter spring lubrication port
- Sprocket Side Cover
- Closed cell foam covered full wrap handles

**21. BULLET CHAIN SAW**

- i. **SPECIFICATION :-** It should be a Gasoline (Petrol) Powered Multicut Bullet Chain Saw. It should be able to be used for cutting all different building materials, bricks, wood, wood with nails, PVC Doors, tin sheets upto 18 (eighteen) gauge.
- ii. It should specifically designed for multi-purpose cutting.
- iii. The cutter should be a solid piece of metal without bends or ground out areas and the carbide insert should be formulated specifically using patented “Locking Key” to mount it to the cutter body.
- iv. It should have a four stage externally mounted filtration system.
- v. It should have a guard that guage covering the cutting chain and should also allow infinite depth of cut adjustment from 0 to 8 inch deep.

- vi. It should have a fullwrap handle that shall allow ease of use from either side.
- vii. It should have a guard deflected that should help to keep the saw cooler and cleaner so as to extend the life of saw.
- viii. It should have a one step starting and 2-mass anti-vibration system.
- ix. The engine should be a single cylinder 2 cycle with loop scavenging and horse power of 5.67 HP.
- x. The ignition system should be type electric, one piece modular.
- xi. The guide bar should be a 16 inch slotted for guard/depth gauge.
- xii. The cutting chain should be a cutter edge bullet chain carbide tipped with locking key.
- xiii. The weight should not be more than 10 (ten) Kg.

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments

- 22. **Fireman belt & Pouch** :-The belt and the pouch should be made of superior water repellent leather with double size buckle. Sample should be submitted
- 23. **Static Ropes** for Rescue purposes (100 meter coil)sample should be submitted
- 24. **Dry chemical powder extinguisher** (store pressure type) Sample should be submitted

**25. Rescue Saw**

SPECIFICATION :- It should consist of 16" Saw, Diamond plate aluminum case Advanced Combi-Cut Multi-Purpose "Carbide Chip" blade, 4 (four) rescue abrasive wheels for cutting BOTH steel and CONCRETE, safety gas can, Hearing protection, Goggles, Spare belt and Air filter, 2-cycle engine oil, Can of gasoline stabilizer, Combination screwdriver/wrench, Instruction manual. This case, should be constructed from light weight, diamond plate aluminum and be equipped with a hinged top lid, heavy duty latch and handle holds about L32.5".X.W11.5".X.H16", weight 15 to 20 kg . (approx).Engine power should be of 4.5 KW and Maximum RPM should be 9800 +/- 300

Catalog/Literature should be furnished along with Test Certificate and track record of earlier supply to other departments